

BILL TO:	Date:	SHIP VIA:	Page of
	Account #:	<input type="checkbox"/> Will Call	Job #:
	P.O. #:	<input type="checkbox"/> Delivery Service	
SHIP TO:	Ordered by:	<input type="checkbox"/> Ship	
	Sidemark:		
	Phone #:	Fax #:	

HunterDouglas

HERITANCE®

Hardwood Shutters

Opening #	Room	Qty.	Color ①	Hinge Color ②	Louver Size ③	IM or OM ④	Frame Type ⑤	Ordered Size ⑦		# of Panels Per Opening ⑧	Panel Configuration ⑨	Frame Detail ⑩	Buildout ⑪	Tilt Bar ⑫	Track Valance Type ⑬	Divider Rail Height (Double-Hung and Café Height) ⑭	T-Post ⑮				Magnets ⑯	Ext. Pole ⑰	
								Width	Height								1st	2nd	3rd	4th			
																DR2		1st	2nd	3rd	4th		
																DR1							
																DR2		1st	2nd	3rd	4th		
																DR1							
																DR2		1st	2nd	3rd	4th		
																DR1							
																DR2		1st	2nd	3rd	4th		
																DR1							

NOTES: IM (Inside Mount) = Factory takes deductions. OM (Outside Mount) = Finished shutter size. See back order form key or Reference Guide for more details.

Everything below this dashed line is actual window opening dimensions and information. Above this dashed line is the order specification. Fabricators are only responsible for the information provided above this dashed line.

OPENING # _____ CLEARANCE DEPTH _____ TRIM TO TRIM

SILL DETAIL WINDOW DIAGONAL

A. Width _____ B. Height _____ C. Projection _____ D. _____ E. _____

← W


← W

← W H H H

↓ ↓ ↓

NOTES: **6** Rough Measure _____ X _____
Number of Panels _____

SILL DETAIL AND WINDOW DIAGONAL MEASUREMENTS ARE DESCRIBED BELOW.



MEASURED BY (installer signature required)

INSTALLER CERTIFICATION NUMBER

CUSTOMER SIGNATURE (for verification)

DEALER SIGNATURE

DATE

OPENING # _____ CLEARANCE DEPTH _____ TRIM TO TRIM

SILL DETAIL WINDOW DIAGONAL

A. Width _____ B. Height _____ C. Projection _____ D. _____ E. _____

← W

← W

← W H H H

↓ ↓ ↓

NOTES: **6** Rough Measure _____ X _____
Number of Panels _____

OPENING # _____ CLEARANCE DEPTH _____ TRIM TO TRIM

SILL DETAIL WINDOW DIAGONAL

A. Width _____ B. Height _____ C. Projection _____ D. _____ E. _____

← W

← W

← W H H H

↓ ↓ ↓

NOTES: **6** Rough Measure _____ X _____
Number of Panels _____

Heritage® Hardwood Shutters

Order Form Key

Use the following key as a guide when completing the Heritage hardwood shutters order form.

Note: Items marked with an asterisk (*) require a surcharge.

1 Color

Specify color number and name. Shown below are the five classic colors. See the product sampling for a complete list of colors.

701P = Bright White 708P = Eggshell 709P = Linen
704S = Golden Oak 770S = Warm Cherry

2 Hinge Color

Specify hinge color number and name. Classic colors with which the hinge colors are recommended are shown in parentheses.

009 = White (701P) 008 = Brushed Nickel Finish
010 = Off-White (708P and 709P) 011 = Stainless Steel*
006 = Brass Finish 998 = Custom Painted Color*
007 = Antique Brass Finish (704S and 770S)
022 = Venetian Bronze 023 = Satin Black

3 Louver Size

Specify louver size: 2 1/2", 3 1/2" or 4 1/2"

4 IM or OM

Specify inside mount or outside mount.

IM = Inside Mount

Factory takes a standard framed deduction of 1/4" from width and height or a standard without frame deduction of 3/16" from width and height.

On all inside mounts, diagonal measurements must be taken. If diagonal measurements are not equal, consider making greater deductions than the standard 1/4" (framed) or 3/16" (without frame). If the diagonal measurement difference is greater than 1/2", we recommend an outside mount for that particular window opening.

OM = Outside Mount

Factory takes no deductions. Submitted size will be the finished shutter size.

When measuring the opening of a typical window for outside mounts, we recommend adding the width of the base of the frame plus 1/4", per framed side, to the largest width and height measurements.

This provides a 1/4" reveal around the entire window opening.

Standard additions:

Frame Type	3-Sided Frame		4-Sided Frame	
	Width	Height	Width	Height
L1, BP, BF, BFB	3 1/4"	1 5/8"	3 1/4"	3 1/4"
L2, L3	2 3/4"	1 3/8"	2 3/4"	2 3/4"

5 Frame Type (I) = Inside Mount, (O) = Outside Mount

The following types are priced as framed:

Z1 = Standard Z-frame (I) Z2 = Deluxe Z-frame* (I)
Z3 = Colonial Z-frame (I) Z4 = Tilt-In Z-frame (I)
L1 = Standard L-frame (I or O) L2 = Trim L-frame (I or O)
L3 = Extended Trim L-frame (I or O)
BP = Bypass track system* BF = Bi-fold track system*
BPP = Bypass track system with bottom track*
BFB = Bi-fold track system with bottom track*
(Factory takes 1/2" deduction for bottom track)

Track System Stackback for BP & BF: Add -SBL for Left, -SBR for Right or -SBLR for Left-Right to frame type.

FD = French door (4-sided mitered HSB frame – OM only)

FDC = French door cut-out* (OM only) Add: -L2 or -L3 for frame type.

Z/L = Standard Z-frame and standard L-frame combination

AOS/[frame type] = Arch over shutter in a continuous opening

ART-T/[frame type] = Arch top panel – traditional*

ART-S/[frame type] = Arch top panel – stepped*

ANT/[frame type] = Angle top panel*

The following types are priced as unframed:

HSS = Hang strip side-by-side HSB = Hang strip behind
WF = Without frame (panels only)
WFBP = Bypass track system without frame*
WFBF = Bi-fold track system without frame*
WFBFB = Bi-fold track system without frame, with bottom track*
WFBPFB = Bypass track system without frame, with bottom track*

Note: With the exception of French doors (FD), all HS frames are based on two hang strips, left and right. On inside mounts, two light stops top and bottom are included.

6 Rough Measure

Enter rough measurements and number of panels.

7 Ordered Size

Enter width and height dimensions to the nearest 1/16".

Note: Splices will occur on stained frames and valances over 91" and on painted frames and valances over 115".


Note: Stackback requires ordered size and stackback width. See reference guide for details.

8 Number of Panels Per Opening

1 = one panel 2 = two panels 3 = three panels, etc.

9 Panel Configuration

Print the letters of the panel configuration. Examples:



Then, in the appropriately numbered box, draw the panel configuration. Include the letters of the configuration.

Note: For windows requiring unequal panel widths, see reference guide for details.

10 Frame Detail

2 = 2-sided; 3 = 3-sided (top, left, right); 4 = 4-sided

4SIL = 3-sided L-frame or Z-frame with bottom sill frame†

2CAF = 2-sided Café style

3CAF = 3-sided Café style (left, right, bottom)

4CAF = 4-sided Café style, panels part way up*

3CSIL = 2-sided Café style with bottom sill frame†

4CSIL = 3-sided Café style with bottom sill frame†

DH = Double-hung* (specify 2, 3 or 4-sided: 2DH, 3DH or 4DH)

DHHT = Double-hung with horizontal T-post* (specify 2, 3 or 4-sided: 2DHHT, 3DHHT or 4DHHT)

3D = 3-sided door which provides 5/8" floor clearance

SA = Special applications other than those listed above

† When using L-frame instead of bottom sill frame indicate with "-L".

Sill Frame is not compatible with L2 and L3.

Note: Indicate height for Café and Double-hung styles in column 14.

11 Build-Out

	FD, L2, L3	L1, BP, BF
1 = Single build-out projection	1 3/8"	1 1/8"
2 = Double build-out projection	2 3/4"	2 1/4"
LS = Light stop (3/8" x 3/4")	3/8"	3/8"

12 Tilt Bar/Split Tilt Bar Height

F = Traditional front center tilt bar with upward closure

R = Rear tilt bar with upward closure*

SP = Split tilt bar (enter height of split)

13 Valance Type (Track Systems Only)*

S = Standard valance D = Decorative valance

14 Divider Rail/Café/Double-Hung

DR1 = First divider rail (required for panel heights over 72")

DR2 = Second divider rail (required for panel heights over 102")

Note: Enter "C" if the desired location is at the center of the panel.

For OM (outside mount): Enter measurement(s) from bottom of frame to center of divider rail(s) or top of lower double-hung or café panel.

For IM (inside mount): Enter measurement(s) from inside bottom of window or sill to center of divider rail(s) or top of lower double-hung or café panel.

15 T-Post

EQ = T-post placed to provide equally divided openings

For unequal placement: Follow normal measuring guidelines. See Reference Guide for details.

16 Magnets

All 4-sided frames come standard with pre-installed magnets.

Y = Yes, pre-install N = No, do not pre-install

17 Extension Pole* (Retractable 53" - 96")

Specify quantity: 1, 2, etc.

Lineal Materials

Grid prices include standard frames, T-posts and hardware. To order additional lineal materials, indicate quantity, color and length.